Roll No: Total No. of Questions : 09]

[Total No. of Pages :04

Paper ID [A0804]

(Please fill this Paper ID in OMR Sheet)

B. Tech. (Sem. - 3rd)

MACHINE DRAWING (ME - 207)

Time : 04 Hours

Q1)

Instruction to Candidates:

Maximum Marks: 60

- 1) Section A is **Compulsory**.
- 2) Attempt any Four questions from Section B.
- 3) Attempt any Two questions from Section C.

Section - A

$(10 \times 2 = 20)$

- a) What is the difference between allowance and tolerance?
- b) What is the purpose of caulking and fullering of rivet joints?
- c) Sketch the conventional method of representing pipe threads (internal and external).
- d) What is the function of clearances in a cottered joint?
- e) Sketch the basic symbols for Single and Double-U Butt welds.
- f) Why are split muff couplings used in preference to solid muff?
- g) What is the specific use of an expansion pipe joint?
- h) Why brasses are used in connecting rod ends and why are these made of soft metals?
- i) What is blow-off cock and where it is used?
- j) What is the advantage of providing bush in a bearing? What is the material of bush?

E-491 [1208]

P.T.O.

Visit: www.brpaper.com for B-Tech,Diploma,BCA,BBA,MBA,MCA,Bsc-IT, Msc-IT,M-tech, Distance-Education,B-com.

Section - B

- $(4 \times 5 = 20)$
- **Q2)** Draw plan and sectional elevation of a double riveted butt joint (Single cover and chain riveting). Take diameter of rivet = 20 mm.
- *Q3)* Draw free hand upper half sectional-front elevation of a protected type flange coupling on proportionate scale.
- Q4) Draw free hand sectional front elevation and plan of a knuckle joint on proportionate scale.
- Q5) Sketch any two views of the following locking devices:
 - (a) Slotted nut and
 - (b) Swan nut.

Q6) Discuss the various commands available in Auto-CAD to draw a circle.

Section - C


$$(2 \times 10 = 20)$$

- *Q7*) Draw the full sectional Front view and Top view of the screw-jack assembly as shown in Figure-1. Also make Bill of Materials.
- *Q8)* Figure-2 shows the details of a connecting rod for Petrol engine. Assemble all the parts and draw the following views of the connecting rod:


(a) Elevation, and

- (b) Plan-full in section. Use any convenient scale.
- *Q9)* Figure-3 shows the details of a Feed check valve. Assemble all the parts and draw the Elevation-right half in section of the assembly to half scale.

E-491



Visit: www.brpaper.com for B-Tech,Diploma,BCA,BBA,MBA,MCA,Bsc-IT, Msc-IT,M-tech, Distance-Education,B-com.







E-491

4

 γ