Roll No. Total No. of Pages: 04

Total No. of Questions: 09

B.Tech.(CE) (2011 Onwards) (Sem.-5)
STRUCTURAL ANALYSIS – II

Subject Code : BTCE-503 Paper ID : [A2080]

Time: 3 Hrs. Max. Marks: 60

INSTRUCTIONS TO CANDIDATES:


- SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- 2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- 3. SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

SECTION-A

Q1. Write briefly:


- a) Differentiate between statically determinate and statically indeterminate structures.
- b) What do you mean by relative stiffness of a member?
- c) State Second theorem of Castigliano's.
- d) What are the assumptions made in the slope deflection method?
- e) Differentiate between sway and non sway frames. Explain with diagrams.
- f) What are the various steps of solving a problem by method of consistent deformation?
- g) Define distribution factor.
- h) Explain Maxwell theorem.
- i) Define tension coefficient.
- j) Determine the degree of internal and external redundancy for the given frame.

1 M-70514 (S2)-651




SECTION-B


- Q2. Compute influence line ordinates at intervals of 5m for the following force components for the beam shown in figure. EI is constant throughout.
 - a) Reaction R_A,
 - b) moment at mid point of span BC,
 - c) moment over support B



Q3. Analyse the beam shown below by using three moment equation and draw the bending moment diagram.




Q4. Analyse the continuous beam shown below by moment distribution method and draw B.M and S.F diagrams.



2 | M-70514 (S2)-651


Q5. Analyse the frame shown below by slope deflection method and draw B.M.D.



Q6. Show that the parabolic shape is a funicular shape for a three hinged arch subjected to a uniformly distributed load over to its entire span.


SECTION-C

Q7 Analyse the frame shown in figure by cantilever method. Area of each exterior column is one and half times that of the area of the interior column.




3 M-70514 (S2)-651

Q8 Using Kani's rotational contribution method, analyse the frame. Moment of inertia of the members are shown in brackets.



Q9 Analyse the truss shown in figure by consistent deformation method. Assume that the cross sectional area of all the members is same.



4 | M-70514 (S2)-651